

Application Serial Number: 10/717,830

Attorney Docket Number: MS1-4172US

To: Examiner Li B. Zhen
Fax: 571-273-3768
Phone: 571-272-3768

From: Kasey C. Christie (Reg. No. 40,559)
Lee & Hayes, PLLC
kasey@leehayes.com
(Tel. 509-324-9256; Fax 509-323-8979)

Agenda and Request for an Examiner Interview

– INFORMAL COMMUNICATION – FOR DISCUSSION PURPOSES ONLY –

[0001] This communication provides an agenda for an interview of this matter. My assistant will be contacting you to schedule an interview. If you would prefer to schedule the interview, then please contact my assistant or me directly. Our contact info is on the signature page of this document. Thank you in advance for agreeing to discuss this matter.

Serial No.: 10/717,830
Atty Docket No.: MS1-4172US
Atty/Agent: Kasey C. Christie

-1-

lee&hayes The Business of IP®

www.leehayes.com • 509.324.9256

[0002] Claim 21, as amended, includes all of the features found in other claims that we are interested in discussing during the interview.

[0003] I propose amending claim 21 as follows:

receiving a customizable, tag-based ~~message~~document that ~~contains~~holds ~~[[the]]~~a state of the service representing the device and the input/output event that has been generated by the service representing the device but not yet consumed by an application;

requesting the service to change a cursor shape, the act of requesting invoking a cursor shape service that changes the shape of the cursor, the cursor shape described by a customizable tag-based document, the customizable tag-based document including image data specifying pixels that comprise the cursor shape;

requesting the service to change a position of a cursor, the act of requesting invoking a cursor position service that changes the position of the cursor; and

requesting the service to remove the input/output event.

[0004] We would like the opportunity to talk about how “receiving a customizable tag-based document that holds a state of the service representing the device and the input/output event that has been generated by the service representing the device but not yet consumed by an application,” as recited in part by amended claim 21, is not found in the cited art, namely Zintel.

[0005] In particular, how is the “customizable tag-based document” as recited in part by claim 21, different from the “tags” in Zintel’s paragraphs [0442]-[0452]. In addition, how does the “UPnP event notification” of Zintel’s paragraph [0276] differ from the “input/output event that has been generated by the service representing the device but not yet consumed by an application”, as recited in part by amended claim 21. Furthermore, we would like your insight on whether or not the “customizable tag-based document that holds a state of the service representing the device,” as claim 21 partially recites, is not the same as “UPnP events ...mainly used for asynchronous notifications

of state changes," in Zintel's paragraphs [0125] and [0294]. Also, we would like to discuss how the pointer primitives and scaling of Saint-Hilaire, found in paragraph [0155] is not the same as the cursor shape service of claim 21.

[0006] I look forward to discussing this with you.

Respectfully Submitted,

Lee & Hayes, PLLC
Representative for Applicant

Kasey C. Christie
(kasey@leehayes.com; 509-944-4732)
Registration No. 40,559

Assistant: Pat Palmer
509-944-4721
patricia@leehayes.com

Appendix of Claims with Proposed Amendments

1. **(Currently Amended)** In a networked system, a device that is a computer subsystem, the device comprising:

one or more services executing in the device, each service ~~including~~comprising:

an information service, the information service being configured to produce a customizable tag-based document that holds events which have been generated by the one or more services but not yet consumed by an application service, the customizable tag-based document holding a state of the one or more services;

a port identifiable by an identifier that includes a unique designation of an operating system service or another service, the port of the service endowed with behavioral types specified by a unilateral contract;~~a uniform resource identifier and~~

[[a]]the unilateral contract for describing one or more behaviors of the service, wherein the one or more behaviors are described by behavior sentences, and further wherein the unilateral contract specifies:

regulation of the service by specifying attaching behavioral conditions to files to govern access control;

an order of messages that flow in or out of the service~~services,~~ ~~wherein the unilateral contract is~~

creation of an instance of communication, after being accepted by an external second service, between the service and the external second service, the external second ~~when an external service promises~~agreeing to perform the unilateral contract according to the order of messages

~~specified in the unilateral contract or when the external service performs the unilateral contract according to the order of messages specified in the unilateral contract, wherein acceptance of the unilateral contract creates an instance of communication between services, and wherein the one or more services comprise an information service, the information service being configured to produce a customizable tag-based document that holds events which have been generated by the one or more services but not yet consumed by an application service, and further wherein the customizable tag-based document holds the state the one or more services.~~

2. (Previously Canceled)

3. (Original) The device of Claim 1, wherein the one or more services comprise a data service, the data service being capable of storing input/output events generated by the device and further being capable of responding to queries regarding the input/output events.

4. (Previously Presented) The device of Claim 1, further comprising a network device driver that enables communication between services.

5. (Original) The device of Claim 1, further comprising a decentralized operating system on which the one or more services are executed.

6. (Currently Amended) In a networked computer system, a terminal service comprising:

a display service ~~with a port identifiable by an identifier~~ that includes a cursor shape service with a port identifiable by an identifier;

a customizable tag-based document that describes~~for describing~~ the shape of an on-screen cursor, the customizable tag-based document including image data specifying pixels that comprise the on-screen cursor;

~~a uniform resource identifier and a~~ unilateral contract for describing one or more behaviors of the display service, wherein the one or more behaviors associated with a service are described by behavior sentences, wherein the unilateral contract is accepted when ~~an other~~ another service promises to perform the unilateral contract in accordance with the one or more behaviors or when the other service performs the unilateral contract in accordance with the one or more behaviors, and wherein acceptance of the unilateral contract creates an instance of communication between the display service and another service.

7. (Previously Canceled)

8. (Previously Presented) The terminal service of Claim 6, wherein the display service includes a cursor position service for describing the position of an on-screen cursor, the cursor position service including a port identifiable by an identifier that

includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the cursor position service.

9. (Previously Presented) The terminal service of Claim 6, wherein the display service includes a window service for describing a window, the window service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the window service.

10. (Previously Presented) The terminal service of Claim 9, wherein the display service includes a window list service for containing a list of window services appearing on a display, the window list service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the window list service.

11. (Previously Presented) The terminal service of Claim 10, wherein the display service includes a window update service for refreshing a window represented by a window service, the window update service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the window update service.

12. (Previously Presented) The terminal service of Claim 6, further comprising a keyboard service with a port identifiable by an identifier that includes a uniform resource

identifier and a unilateral contract for describing one or more behaviors of the keyboard service.

13. (Previously Presented) The terminal service of Claim 12, wherein the keyboard service includes a data service for containing keyboard events generated by a keyboard, the data service being capable of responding to queries to remove keyboard events for processing.

14. (Previously Presented) The terminal service of Claim 6, further comprising a mouse service, the mouse service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the mouse service.

15. (Original) The terminal service of Claim 14, wherein the mouse service includes a data service for containing mouse events generated by a mouse, the data service being capable of responding to queries to remove mouse events for processing.

16. (Previously Presented) A computer-implemented method for processing input/output events by devices as services, the method comprising:

requesting, by a computing system configured to represent devices as services in a decentralized operating system, a service representing a device for an input/output event, the service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the service, the unilateral contract expressed in a language specifying an order of messages that flow in or out of services;

requesting the service to change a cursor shape, the act of requesting invoking a cursor shape service that changes the shape of the cursor;

receiving a customizable tag-based message that contains the input/output event; and

requesting the service to remove the input/output event.

17. (Previously Presented) The method of Claim 16, further comprising requesting the service for creating a window, the act of creating a window creating a window service with a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the window service.

18. (Previously Presented) The method of Claim 17, further comprising requesting the service for refreshing the window, the act of requesting invoking a window update service that repaints the window.

19. (Previously Canceled)

20. (Previously Presented) The method of Claim 16, further comprising requesting the service to change a position of a cursor, the act of requesting invoking a cursor position service that changes the position of the cursor.

21. (Currently Amended) A computer-readable medium having computer-executable instructions for implementing a computer-implemented method for processing input/output events by devices as services, the method comprising:

requesting a service representing a device for an input/output event, the service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the service, wherein the one or more behaviors are described by behavior sentences, wherein the unilateral contract specifies an order of messages that flow in or out of services, wherein the unilateral contract is accepted when an external service promises to perform the unilateral contract according to the order of messages specified in the unilateral contract or when the external service performs the unilateral contract according to the order of messages specified in the unilateral contract, and wherein acceptance of the unilateral contract creates an instance of communication between services;

receiving a customizable tag-based message document that ~~contains~~holds ~~[[the]]~~a state of the service representing the device and the input/output event that has been generated by the service representing the device but not yet consumed by an application;

requesting the service to change a cursor shape, the act of requesting invoking a cursor shape service that changes the shape of the cursor, the cursor shape described by a customizable tag-based document, the customizable tag-based document including image data specifying pixels that comprise the cursor shape;

requesting the service to change a position of a cursor, the act of requesting invoking a cursor position service that changes the position of the cursor; and requesting the service to remove the input/output event.

22. (Previously Presented) The computer-readable medium of Claim 21, further comprising requesting the service for creating a window, the act of creating a window creating a window service with a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the window service.

23. (Previously Presented) The computer-readable medium of Claim 22, further comprising requesting the service for refreshing the window, the act of requesting invoking a window update service that repaints the window.

24. (Previously Canceled)

25. (Previously Canceled)

26. (Currently Amended) In a networked system, a device that is a computer subsystem, the device comprising:

one or more services executing in the device, each service including a port identifiable by an identifier that includes a uniform resource identifier and a unilateral contract for describing one or more behaviors of the service, wherein the port associated with the service comprises behavioral types, and wherein the device communicates with another device of the networked system based on compatibility of behavioral types, the device being capable of coupling to the networked system to exchange customizable tag-based messages, and wherein the one or more services comprise an information service, the information service being configured to produce customizable tag-based messages that hold events which have been generated by the one or more services but not yet consumed by an application service, and further wherein the customizable tag-based messages hold the state of the one or more services.